

Maxell, Ltd. 5030 Totsuka-cho, Totsuka-ku Yokohama, 244-0003, Japan

http://biz.maxell.com/en/display_equipment/

奋香港日立有限公司

總辦事處及輔修服務部 香港新界沙田安睦街28號永得利中心18樓 電話: (852) 2113 8883 維修服務熟練: (852) 2753 5386

澳門維隆服務部 澳門慕拉士大馬路富大工業大廈4字標F座 電話:(853) 2871 9614 日立查詢熱線:2770 0377 www.hitachi-hk.com.hk



























Lecture Capture Station MA-XL1











Teacher Friendly Multifunctional Tool for Making Lectures.



By connecting to interactive projectors or interactive flat panel displays, you can operate MA-XL1's key features through the intuitive, user-friendly on-screen icon menu.

*3 We recommend pre-test before purchase. HID USB mouse also supported.



Z.

Interactive Content Switching

On-screen icons allow you to switch content during the lesson. (10 input terminals)

*1 Output images from the "MONITOR OUT" or "HDMI OUT" are converted to H.264. Sound channels are isolated from image switching. Sound channel output can be set separately by administration menu. MA-XL1 does not support HDCP. *2 CH1 is recommended for PC input



Instant Playback

You can play recorded video contents by selecting the corresponding thumbnail from the index.



You can also replay an earlier part of the ongoing recording session - whilst still recording.

Replay training sessions recorded during class.






Interactive Whiteboard

Make notes and drawings on the main screen for any input channel; save the drawing independently for each channel.

*3 Dependent on connected interactive display. W recommend pre-test before purchase. HID supported USB mouse can also be used for this feature.





Recording

Recording and screen shot capture is easy, just touch the icon. Change the recording layout mid-lesson.



Student Friendly Learn Whenever You Want, Wherever You Are

E

Streaming / Uploading

Concentrate on lectures, rather than wasting time taking notes. Watch uploaded lectures on the cloud server whenever you need. Through live- streaming, attend your class from home or anywhere else. RTMP streaming protocol supports widely-used third party streaming services such as Youtube. MA-XL1 is also compatible with FTP/SFTP supported LCS cloud services such as Kaltura.

*4 RTMP live-streaming requires a server or cloud services that supports RTMP protocol. Upload function requires a server that supports FTP or SFTP protocol.






Remote Classroom Optimized Connecting Two Remote Locations to One



Remote Classroom Collaboration



Share the same interactive screen with a remote classroom and share notes and drawings on the shared screen from both rooms. You can have a lesson with your students thousands miles away as if they were in the same classroom.

*6 Up to 100 client MA-XL1s can be registered on a single host MA-XL1. Remote Classroom sessions are 1-to-1 only. Only one Remote Classroom session can be held at a given time. Performance is dependent on network environment. Please contact Maxell representative or agent to discuss network requirements and performance considerations. We recommend pre-test before purchase.

E

LMS Integration / Cloud Service Integration


MA-XL1 can be integrated with existing Learning Management System (LMS) portals such as Moodle, to facilitate students' easy access to uploaded videos.

*5 Level of integration may vary depending on LMS provider.

Other User Friendly Features

- Operate with your smartphone, tablet or with USB mouse.
- Connect your smartphone to use it as a camera.
- Teachers can control their PC through the connected interactive screen.
- Automatically create indexes with titles and thumbnails on recordings by capturing the PowerPoint slide.*9 *9 Windows PC (Windows 7 or higher) and PowerPoint 2006 or higher is required.
- Scheduled recordings compatible with third party schedulers (Outlook, Google Calender, etc).

Terminals



SPEC

Model name		MA-XL1
Mechanical	Form Factor	Standalone
		/ Rack Mount
	Weight	3,050 g
	Dimension	430 × 208 × 60mm
Video	VGA	1
Inputs	HDMI	4
	SDI	3
	Resolution	720P up
	-support	to 1080P (60)
Video	VGA	1
Outputs	HDMI	1
Audio	HDMI	4
Inputs	Audio-in (3.5mm)	1
	MIC-in (3.5mm)	Mono
	Phoenix	
	Plug 1 × 6	1
	Bluetooth RX *8	(Mono)
Audio	HDMI	1
Outputs	Headset-	1
	out (3.5mm)	1
	Audio-	1
	out (3.5mm)	1
	Phoenix	1
	Plug 1 × 6	1
	Bluetooth TX *8	1
Ethernet	WAN	1
	LAN	3
USB	Type-A	4
	Type-B	2
Control	CONTROL1	1
	(RS232-out)	
	CONTROL2	1
	(RS232-in/out)	'
	DIDO Phoenix	1
	Plug 1 x 5	'
Status	Power	1
	(GREEN/RED)	

Streaming		
	RJ-45 / IP	3
Inputs	Streaming	RTSP/RTP/
	Format	RTMP
	Video	H.264 High/
	Format	Main/Baseline
	Audio Format	AAC-LC
	Max. Channels	3
Streaming	Streaming	DTMD/DTD
Outputs	Format	RTMP/RTP
	Video Format	H.264 High/
		Main/Baseline
	Audio Format	AAC-LC
	Supported	320x240
	Resolution	to 1080p (30)
	Supported	300kbps up
	Bitrate	to 4Mbps
	Max. Channels	2
		Live Streaming × 1
		Conference × 1
Storage	Internal HDD	1TB
	Capacity	IID
	Storage	MP4
	File Format	IVIF4
	External	Yes via
	Storage	USB Type A
	Storage Export Files	USB Type A Mixed × 1
		Mixed × 1 Independent × 3
Power		Mixed × 1
Power Reset		Mixed × 1 Independent × 3 DC 24V/2.5A
	Export Files	Mixed × 1 Independent × 3
	Export Files Reset Button	Mixed × 1 Independent × 3 DC 24V/2.5A
Reset	Export Files Reset Button Power adaptor, I	Mixed × 1 Independent × 3 DC 24V/2.5A 1 Power cord,
Reset Included	Reset Button Power adaptor, I	Mixed × 1 Independent × 3 DC 24V/2.5A 1 Power cord, na, Balance line
Reset Included	Reset Button Power adaptor, I Bluetooth Anten connector (2 uni	Mixed × 1 Independent × 3 DC 24V/2.5A 1 Power cord, na, Balance line its), DIDO
Reset Included	Reset Button Power adaptor, I Bluetooth Anten connector (2 uni connector, USB	Mixed × 1 Independent × 3 DC 24V/2.5A 1 Power cord, na, Balance line its), DIDO number keyboard
Reset Included	Reset Button Power adaptor, I Bluetooth Anten connector (2 uni connector, USB stickers, Rack m	Mixed × 1 Independent × 3 DC 24V/2.5A 1 Power cord, ina, Balance line its), DIDO number keyboard ount bracket (1
Reset Included	Reset Button Power adaptor, I Bluetooth Anten connector (2 uni connector, USB stickers, Rack m pair) + M4 x 6mr	Mixed × 1 Independent × 3 DC 24V/2.5A 1 Power cord, ina, Balance line its), DIDO number keyboard ount bracket (1

^{*8} Bluetooth microphone/speaker may not be suitable to record or reproduce high quality audio content:

Kaltura is a trademark of Kaltura Inc.

Moodle is a trademark registered by Mood

Youtube is a trademark of Google LLC in the United States.

Powerpoint is a trademark of Microsoft Corporation.

Internet Explorer is a trademark of Microsoft Corporation

Administrator's Screen Example

Control & Setup from Web Browser

*10 Internet Explorer 11 or higher is recommended. Some functions such as video preview may not be supported with other hrowsers

